



COMPLETE CARWASH SUPPLIES

12 ENTERPRISE CIRCUIT, PRESTONS NSW 2170

Phone: 1300 722 435

ABN 24 262 329 805

ACN 114 640 729

Email: sales@completecarwash.com.au

MATERIAL SAFETY DATA SHEET

Classified as hazardous according to criteria of Worksafe Australia

PRODUCT: AUTO GLYM No. 12 RADIANT WAX POLISH

SECTION 1 – PRODUCT IDENTIFICATION

Trade Name: AUTO GLYM No. 12 RADIANT WAX POLISH

Identification of Preparation: Emulsion

Product use: Paint protectant

Distributor: Complete Carwash Supplies (NSW)

Emergency Phone No: 0418 410 688

Regular Phone No: 1300 722 435

Revision Date: July, 2024 and is valid for 5 years from this date

SECTION 2 – HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification under CLP: STOT SE 3: H336; -: EUH208

Classification under CHIP: This product has no classification under CHIP.

2.2. Label elements

Label elements under CLP:

Hazard statements: * H336: May cause drowsiness or dizziness.

EUH208: Contains 1,2-benzisothiazol-3(2H)-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Signal words: * **Warning**

Hazard pictograms: * GHS07: Exclamation mark



Precautionary statements:

P102: Keep out of reach of children.

P261: Avoid breathing vapours.

P312: Call a POISON CENTER or doctor if you feel unwell.

P403+233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P271: Use only outdoors or in a well-ventilated area.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

SECTION 3 – INGREDIENTS

Chemical Name:	Wt%	CAS NUMBER	CLASS
Naphtha (Petroleum), Hydrotreated Heavy	10 -30	64742-48-9	Xn:R65 R10 R66
Distillates (Petroleum)Hydrotreated Light	1 -10	64742-47-8	Xn:R65 R66



COMPLETE CARWASH SUPPLIES

12 ENTERPRISE CIRCUIT, PRESTONS NSW 2170

Phone: 1300 722 435

ABN 24 262 329 805

ACN 114 640 729

Email: sales@completecarwash.com.au

SECTION 4 - EMERGENCY AND FIRST AID PROCEDURES

For advice, contact a Poisons Information Centre (Phone eg. Australia 131 126; New Zealand 0 800 764766) or a doctor.

EMERGENCY AND FIRST AID PROCEDURES

- Eyes:** There may be irritation and redness. Flush with running water for 15 minutes. Obtain medical attention.
- Skin:** Irritating. May cause dermatitis. Wash with water and soap. Remove and wash contaminated clothing before re-use.
- Inhalation:** No symptoms. Move to fresh air. Obtain medical attention.
- Ingestion:** May be irritating. Wash out mouth with water. **Do not induce vomiting.** Obtain medical attention.

SECTION 5 – FIRE – FIGHTING MEASURES

- Extinguishing Media:** Suitable extinguishing media for the surrounding fire should be used. Use Water spray to cool containers.
- Exposure Hazards:** In combustion emits toxic fumes of carbon dioxide / Carbon monoxide.
- Protection of Fire-Fighters:** Wear self contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.
- Environmental Precautions:** Do not let product enter drains.
- Methods for Cleaning Up:** Soak up with inert absorbent material.

SECTION 7 HANDLING AND STORAGE

- Handling:** Do not breathe vapours. Avoid contact with skin and eyes. Keep away from sources of ignition. Smoking is forbidden.
- Storage:** Keep away from heat. Remove all sources of ignition. Do not smoke

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Nitrile gloves. Breakthrough time of the glove material > 8 hours.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.



COMPLETE CARWASH SUPPLIES

12 ENTERPRISE CIRCUIT, PRESTONS NSW 2170

Phone: 1300 722 435

ABN 24 262 329 805

ACN 114 640 729

Email: sales@completecarwash.com.au

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	White
Odour:	Characteristic odour
Solubility in water:	Not miscible
Viscosity:	Viscous
Boiling Point/Range°C:	160 - 200
Flash Point °C:	61
Relative density	0.98

9.2. Other information

Other information: No data available.

SECTION 10 – STABILITY AND REACTIVITY DATA

Reactivity:	Stable under recommended transport or storage conditions.
Stability:	Stable under normal conditions
Hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.
Conditions to Avoid:	Heat.
Materials to Avoid:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition Products:	In combustion emits toxic fumes of carbon dioxide/carbon monoxide .

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact:	There may be mild irritation at the site of contact.
Eye contact:	There may be irritation and redness.
Ingestion:	There may be irritation of the throat.
Inhalation:	No symptoms.

SECTION 12 - ECOLOGICAL INFORMATION

Hazardous Ingredients: DISTILLATES (PETROLEUM) HYDROTEATED HEAVY ALGAE 72H IC50 20 ppm

Persistence and Degradability:	Biodegradable.
Bioaccumulative Potential:	No bioaccumulation potential.
Mobility:	Readily absorbed into soil.
PBT identification:	This product is not identified as a PBT/vPvB substance.
Other Adverse Effects:	Negligible ecotoxicity.



COMPLETE CARWASH SUPPLIES

12 ENTERPRISE CIRCUIT, PRESTONS NSW 2170

Phone: 1300 722 435

ABN 24 262 329 805

ACN 114 640 729

Email: sales@completecarwash.com.au

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste from Residues/Unused Products: Ensure conformity to local disposal regulations.

SECTION 14 TRANSPORT INFORMATION

Conveyance Classification: Not classified as dangerous in the meaning of transport regulations

SECTION 15 REGULATORY INFORMATION

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

SECTION 16 OTHER INFORMATION

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3:

EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H336: May cause drowsiness or dizziness.

R10: Flammable.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

Legend to abbreviations:

PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = physico-chemical properties



COMPLETE CARWASH SUPPLIES

12 ENTERPRISE CIRCUIT, PRESTONS NSW 2170

Phone: 1300 722 435

ABN 24 262 329 805

ACN 114 640 729

Email: sales@completecarwash.com.au

CONTACT POINTS

ORGANISATION

Poisons Information Centre – Australia Wide

Complete Carwash Supplies (NSW)

Fire Brigade

Police

0418 410 688

000

000

TELEPHONE ASK FOR

131126

1300 722 435 Terry Smith

Terry Smith

Fire Brigade

Police

Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain, and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Complete Carwash Supplies (NSW) accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.