



# COMPLETE CARWASH SUPPLIES

12 Enterprise Circuit, PRESTONS NSW 2170

Phone: 1300722435

ABN 24 262 329 805

ACN 114 640 729

Email: [account@chemclean.com.au](mailto:account@chemclean.com.au)

## SECTION 1 - IDENTIFICATION OF CHEMICAL PRODUCT AND COMPANY

<b>Substance:</b>	<b>Multi Purpose Paint Thinners #3</b>
<b>Trade Name:</b>	<b><u>THINNERS</u></b>
<b>Product Use:</b>	Thinning and Removing Paint.
<b>Creation Date:</b>	<b>September, 2008</b>
<b>Revision Date:</b>	<b>July, 2024</b> and is valid for 5 years from this date

## SECTION 2 - HAZARDS IDENTIFICATION

### Statement of Hazardous Nature

This product is classified as: Xn, Harmful, F: Highly Flammable. Xi: Irritant Hazardous according to the criteria of ASCC.

Dangerous according to the Australian Dangerous Goods (ADG) Code.

**Risk Phrases:** R63 Possible risk to unborn child, R48/20 Harmful danger to health by prolonged exposure through inhalation, R65 May cause lung damage if swallowed R67 Vapours may cause drowsiness or dizziness.

**Safety Phrases:** S2 Keep out of the reach of children, S36/37 wear suitable protective clothing, S24 Avoid contact with the skin, S62 If swallowed, do not induce vomiting: seek medical advice immediately and show container or label to medical staff, S16 Keep away from sources of ignition.

**SUSDP Classification:** S6.

**ADG Classification:** Class 3YE

**UN Number:** 1993



### GHS Signal word: DANGER

#### HAZARD STATEMENT:

- H226: Flammable liquid and vapour.
- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H319: Causes eye irritation.
- H335: May cause respiratory irritation.
- H336: May cause drowsiness or dizziness.
- H361: Suspected of damaging the unborn child.
- H373: May cause damage to organs through prolonged or repeated exposure.
- H412: Harmful to aquatic life with long lasting effects.

#### GENERAL

- P101: If medical advice is needed, have product container or label at hand.
- P102: Keep out of reach of children
- P103: Read label before use.

#### PREVENTION

- P201: Obtain special instructions before use.
- P202: Do not handle until all safety precautions have been read and understood
- P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
- P233: Keep container tightly closed.
- P240: Ground/bond container and receiving equipment.
- P241: Use explosion-proof electrical ventilating, lighting and other equipment.
- P242: Use only non-sparking tools.
- P243: Take precautionary measures against static discharge.
- P260: Avoid breathing mist, vapours, spray.
- P261: Do not breathe mist, vapours, spray.

P264: Wash contacted areas thoroughly after handling.  
P271: Use only outdoors or in a well ventilated area.  
P273: Avoid release to the environment.  
P280: Wear protective gloves, eye protection, face protection.  
P281: Use personal protective equipment as required.

#### RESPONSE

P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE or doctor.  
P302+P352: IF ON SKIN: Wash with plenty of soap and water.  
P303+P361+P353 IF ON SKIN (or hair): Take off contaminated clothing and wash before reuse. Rinse skin with water/shower.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P312: Call POISON CENTRE or doctor/physician if you feel unwell.  
P314: Get medical advice/attention if you feel unwell.  
P331: Do NOT induce vomiting.  
P332+P313: If skin irritation occurs: Get medical advice.  
P337+P313: If eye irritation occurs: Get medical advice.  
P362: Take off contaminated clothing and wash before reuse.  
P370+P378: In case of fire, use carbon dioxide, dry chemical, foam. Normal foam, i.e. protein based foam that is not alcohol resistant, is the preferred medium for large fires.  
P391: Collect spillage.

#### STORAGE

P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P403+P235: Store in a well-ventilated place. Keep cool.  
P405: Store locked up.

#### DISPOSAL

P501: If they cannot be recycled, dispose of contents in accordance with local regulations.

---

### Emergency Overview

---

**Physical Description & colour:** Colourless liquid

**Odour:** Characteristic

**Major Health Hazards:** Eye irritant.

---

### Potential Health Effects

---

#### Inhalation:

**Short term exposure:** Inhalation may cause headache, nausea and dizziness. Higher concentrations may cause unconsciousness and coma.

**Long Term exposure:** Death may result from severe continued over-exposure.

#### Skin Contact:

**Short term exposure:** May include redness, swelling, pain and/or blisters.

**Long Term exposure:** No data for health effects associated with long term skin exposure.

#### Eye Contact:

**Short term exposure:** Liquid may cause moderate to severe eye irritation, vapour is irritating.

**Long Term exposure:** Liquid may cause moderate to severe eye irritation, vapour is irritating.

#### Ingestion:

**Short term exposure:** DO NOT Induce vomiting Keep at rest. Give glass of water, seek medical attention.

**Long Term exposure:** No data for health effects associated with long term ingestion.

#### Carcinogen Status:

**ASCC:** No significant ingredient is classified as carcinogenic by ASCC.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** Isopropanol is Class 3 - unclassifiable as to carcinogenicity to humans.

See the IARC website for further details. A web address has not been provided as addresses frequently change.

### MATERIAL SAFETY DATA SHEET

### SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS No	Conc,%
Xylene	1330-20-7	30-40
Solvent Naphtha (petroleum), light aliphatic	64742-89-8	30
With Components		
N-hexane	110-54-3	3 - 9
Ethylbenzene	100-41-4	<3
Acetone	67-64-1	20 - 30
Ethanol	64-17-5	<10
2-Butoxyethanol	111-76-2	<5

Note – product contains <0.1% benzene

### SECTION 4 - FIRST AID MEASURES

#### General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this MSDS with you when you call.

**Inhalation:** Using proper respiratory protection, immediately remove the affective victim from exposure. Administer artificial respiration if breathing has stopped. Keep at rest. Seek immediate medical attention.

**Skin Contact:** Flush area with large amounts of water and wash area with soap if available. Remove contaminated clothing including shoes and launder before use. Seek medical attention for skin irritations.

**Eye Contact:** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

### SECTION 5 - FIRE FIGHTING MEASURES

**Fire and Explosion Hazards:** Shut off product that may “fuel” a fire if safe to do so. Allow trained personnel to attend a fire in progress providing fire fighters with this Material Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog. Water fog or fine spray is the preferred medium for large fires. Do not use water in a jet. Ensure that no spillage enters drains or water courses.

**Specific Hazards arising from the chemical:** Carbon dioxide. Carbon monoxide may be evolved if incomplete combustion occurs. Will float and can be reignited on surface water. Vapour is heavier than air, can spread along ground and distant ignition is possible.

**Specific Protective Equipment and Precautions for Fire Fighters:** Wear full protective clothing and self-contained breathing apparatus. Hazchem code : 3YE

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

**Accidental release:** In the event of a major spill, prevent spillage from entering drains or water courses. Evacuate the spill area and deny entry to unnecessary and unprotected personnel. Immediately call the Fire Brigade. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include Viton, Nitrile, butyl rubber, PE/EVAL, Responder. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. It should be fitted with a type A cartridge, suitable for organic vapours.

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Avoid using sawdust or other combustible material. Any electrical equipment should be non-sparking. Any equipment capable of building an electrostatic charge should be electrically grounded. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a

#### MATERIAL SAFETY DATA SHEET

Issued by: Complete Carwash Supplies (NSW)

Phone: 1300 722 435

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## SECTION 7 - HANDLING AND STORAGE

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this MSDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** Store in a cool, well ventilated area, and make sure that surrounding electrical devices and switches are suitable. Check containers periodically for leaks. Containers should be kept closed in order to minimise contamination and possible evaporation. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. If you keep more than 2500kg or L of Dangerous Goods of Packaging Group II, you may be required to license the premises or notify your Dangerous Goods authority. If you have any doubts, we suggest you contact your Dangerous Goods authority in order to clarify your obligations. Check packaging - there may be further storage instructions on the label.

## SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

<b>NOHSC Exposure limits</b>	<b>TWA (mg/m<sup>3</sup>)</b>	<b>STEL (mg/m<sup>3</sup>)</b>
Xylene:	350 (80ppm)	650 (150ppm)
Acetone:	1185 (500ppm)	2375 (1000ppm)
Ethanol:	1880 (1000ppm)	

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels. If necessary, use a fan.

**Eye Protection:** Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

**Skin Protection:** The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: Viton, nitrile, butyl rubber, PE/EVAL, Responder.

**Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Eyebaths or eyewash stations should be provided near to where this product is being used.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:

<b>Physical Description &amp; colour:</b>	Colourless liquid.
<b>Odour:</b>	Characteristic
<b>Odour Threshold (ppm):</b>	Data not available
<b>Boiling Point:</b>	50 - 166°C
<b>Flash Point °C:</b>	-30 (closed cup)
<b>Evaporation Rate:</b>	No data
<b>Evaporation Rate:</b>	No data
<b>Freezing/Melting Point:</b>	Data not available
<b>Vapour Pressure:</b>	kPa at 30
<b>Vapour Density:</b>	(Air=1) > 1
<b>Specific Gravity:</b>	0.695
<b>Water Solubility:</b>	Not soluble in water.
<b>pH:</b>	No data.
<b>Volatility:</b>	No data.
<b>Odour Threshold:</b>	No data.

### MATERIAL SAFETY DATA SHEET

**Coeff Oil/water distribution:** No data  
**Autoignition temp:** No data

---

## SECTION 10 - STABILITY AND REACTIVITY

---

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.  
**Conditions to Avoid:** This product should be kept in a cool place, preferably below 30°C. Keep containers tightly closed. Keep containers and surrounding areas well ventilated. Keep away from sources of sparks or ignition.  
**Incompatibilities:** strong oxidising agents.  
**Fire Decomposition:** Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.  
**Polymerisation:** This product will not undergo polymerisation reactions.

---

## SECTION 11 - TOXICOLOGICAL INFORMATION

---

**Toxicity:** IMMEDIATE (ACUTE) EFFECTS:  
Oral LD<sub>50</sub> (rat): 5045 mg/kg  
Inhalation LC<sub>50</sub> (rat): 16,000 ppm/8 hours  
Skin LD<sub>50</sub> (rabbit): 12,800 mg/kg  
Skin Irritation (rabbit): 500 mg - mild  
Eye Irritation (rabbit): 10 mg - moderate: 100 mg - severe  
DELAYED (SUBCHRONIC AND CHRONIC) EFFECTS:  
Subchronic Inhalation (rat): TCLo 5000 ppm/6 hr/day for 90 days (intermittent) caused a change in motor activity.  
Chronic Inhalation (rat): TCLo 2500 ppm/6 hr/day for 2 years (intermittent) caused changes in liver and bladder weight and changes in urine composition.  
OTHER DATA: None

---

## SECTION 12 - ECOLOGICAL INFORMATION

---

This product is highly volatile and will rapidly evaporate if released into the water. This product can degrade rapidly in the air, and is expected to biodegrade rapidly and be "readily" biodegradable according to OECD guidelines. Expected to be toxic to aquatic organisms. Long term adverse affects are possible if continuous exposure is maintained.

---

## SECTION 13 - DISPOSAL CONSIDERATIONS

---

**Disposal:** There are many pieces of legislation covering waste disposal and they differ in each state and territory, so each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. The Hierarchy of Controls seems to be common - the user should investigate: Reduce, Reuse, and Recycle and only if all else fails should disposal be considered. Note that properties of a product may change in use, so that the following suggestions may not always be appropriate. The following may help you in properly addressing this matter for this product. This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. If neither of these options is suitable, consider controlled incineration, or landfill.

---

## SECTION 14 - TRANSPORT INFORMATION

---

**ADG Code:** 3  
**Hazchem Code:** 3[Y]  
**Special Provisions:** Poison S96  
**Dangerous Goods Class:** Class 3, Flammable liquids.  
**Packaging Group:** II  
**Packaging Method:** 3.8.3, RT1

Class 3 Flammable Liquids shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 2.1 (Flammable Gases where flammable liquids and flammable gases are both in bulk), 2.3 (Toxic Gases), 4.2 (Spontaneously Combustible Substances), 5.1 (Oxidising Agents), 5.2 (Organic Peroxides), 6 (Toxic Substances, except Flammable Liquid is nitromethane), and 7 (Radioactive Substances). They may however be loaded in the same vehicle or packed in the same freight container with Classes 2.1 (Flammable Gases except where the Flammable Liquids and Flammable Gases are in bulk), 2.2 (Non-Flammable Non-Toxic Gases), 4.1 (Flammable Solids), 4.3 (Dangerous When Wet Substances), 6 (Toxic Substances, except where Flammable Liquid is nitromethane), 8 (Corrosive Substances), 9 (Miscellaneous Dangerous Goods), Foodstuffs or foodstuff empties.

## MATERIAL SAFETY DATA SHEET

Issued by: Complete Carwash Supplies (NSW)

Phone: 1300 722 435

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

---

## SECTION 15 - REGULATORY INFORMATION

---

**AICS:** All of the significant ingredients in this formulation are compliant with NICNAS regulations.

---

## SECTION 16 - OTHER INFORMATION

---

**This MSDS contains only safety-related information. For other data see product literature.**

### Acronyms:

<b>ADG Code</b>	Australian Code for the Transport of Dangerous Goods by Road and Rail
<b>AICS</b>	Australian Inventory of Chemical Substances
<b>ASCC</b>	Office of the Australian Safety and Compensation Council
<b>CAS number</b>	Chemical Abstracts Service Registry Number
<b>Hazchem Number</b>	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
<b>IARC</b>	International Agency for Research on Cancer
<b>NOS</b>	Not otherwise specified
<b>NTP</b>	National Toxicology Program (USA)
<b>R-Phrase</b>	Risk Phrase
<b>SUSDP</b>	Standard for the Uniform Scheduling of Drugs & Poisons
<b>UN Number</b>	United Nations Number

THIS MSDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This MSDS is prepared in accordance with the ASCC document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC: 2011(2003)]

## MATERIAL SAFETY DATA SHEET